



證書編號：L3630-200817

財團法人全國認證基金會
Taiwan Accreditation Foundation

認 證 證 書

茲證明

振鋒企業股份有限公司

測試實驗室

台中市西屯區工業區3路10-1號

為本會認證之實驗室

認 證 依 據：ISO/IEC 17025：2017；CNS 17025：2018

認 證 編 號：3630

初 次 認 證 日 期：一百零九年一月六日

認 證 有 效 期 間：一百零九年一月六日至一百一十二年一月五日止

認 證 範 圍：測試領域，如續頁

董事長

王聰麟

中華民國一百零九年八月十七日



證書編號：L3630-200817

財團法人全國認證基金會
Taiwan Accreditation Foundation

認證編號：3630

實驗室主管：余俊賢

▼ 28.02 職業衛生
可回收個人防墜器
M996 動態墜落測試
ANSI/ASSE Z359.14
動態性能
動態強度
冷環境
熱環境
溼環境

報告簽署人：余俊賢；黃偉豪

M996 回收力試驗
ANSI/ASSE Z359.14
回收力：(5.5 to 111) N
常溫墜落測試後
冷環境墜落測試後
熱環境墜落測試後
濕環境墜落測試後
鹽霧測試後

報告簽署人：余俊賢；黃偉豪

M996 動態墜落測試
ANSI/ASSE Z359.14
前緣直角動態性能
前緣銳角動態性能
前緣直角動態強度
前緣銳角動態強度
冷環境
熱環境
溼環境

報告簽署人：余俊賢；黃偉豪



證書編號：L3630-200817

財團法人全國認證基金會
Taiwan Accreditation Foundation

▼ 28.02 職業衛生
可回收個人防墜器
M996 靜態拉力測試
ANSI/ASSE Z359.14
測試範圍: (1000 to 3000) lbf

報告簽署人: 余俊賢; 黃偉豪

(以下空白)



Certificate No. : L3630-200817

財團法人全國認證基金會
Taiwan Accreditation Foundation

Certificate of Accreditation

This is to certify that

YOKE Industrial Corp.
Testing laboratory

#10-1, 3rd Road, Taichung Industrial Park, Taichung 407, Taiwan, R.O.C

is accredited in respect of laboratory

Accreditation Criteria : ISO/IEC 17025:2017 ; CNS 17025:2018
Accreditation Number : 3630
Originally Accredited : January 06, 2020
Effective Period : January 06, 2020 to January 05, 2023
Accredited Scope : Testing Field, see described in the Appendix

Chung-Lin Wang
President, Taiwan Accreditation Foundation
Date : August 17, 2020



Certificate No. : L3630-200817

財團法人全國認證基金會
Taiwan Accreditation Foundation

Accreditation Number : 3630

Laboratory Head : YU, Chun-Hsien

▼ 28. 02 Industrial Hygiene
Self-Retracting Devices for Personal Fall Arrest
M996 Dynamic Drop Test
ANSI/ASSE Z359.14
Dynamic Performance
Dynamic Strength
Cold Condition
Heat Condition
Wet Condition

Approval Signatory: YU, Chun-Hsien; HUANG, Wei-Hao

M996 Retraction Tension Test
ANSI/ASSE Z359.14
Retraction Tension: (5.5 to 111) N
After Room Temperature Drop Test
After Cold Condition Drop Test
After Heat Condition Drop Test
After Wet Condition Drop Test
After Salt Spray Test

Approval Signatory: YU, Chun-Hsien; HUANG, Wei-Hao

M996 Dynamic Drop Test
ANSI/ASSE Z359.14
Dynamic Performance - Edge Test - Perpendicular
Dynamic Performance - Edge Test - Lateral Offset
Dynamic Strength - Edge Test - Perpendicular
Dynamic Strength - Edge Test - Lateral Offset
Cold Condition
Heat Condition
Wet Condition

Approval Signatory: YU, Chun-Hsien; HUANG, Wei-Hao

M996 Static Strength Test
ANSI/ASSE Z359.14
Test Range: (1000 to 3000) lbf

Approval Signatory: YU, Chun-Hsien; HUANG, Wei-Hao

(Null below)

P2, total 2 pages